

FIG.1



FIG. 2

3 / 39




FIG. 3




FIG. 4

[illegible]

5 / 39




FIG. 5




FIG. 6A




FIG. 6B

7 / 39

$$\phi_{BS} \neq \phi_{CS} \pm 2\pi$$

— RECEPTION SIGNAL 77a  
- - - RECEPTION SIGNAL 77b  
- - - RECEPTION SIGNAL 77c  
- - - RECEPTION SIGNAL 77d




FIG. 7A

$$\phi_{BS} = \phi_{CS} \pm 2\pi$$




FIG. 7B

002760" 29409960

8 / 39




FIG. 8






FIG. 9

002760" 49409960

10 / 39




FIG. 10



FIG. 11




FIG. 12

13 / 39




FIG. 13

14 / 39




FIG. 14A




FIG. 14B




FIG. 14C

002T60" 29409960

15 / 39




FIG. 15A




FIG. 15B

002760" 29409950



# FIG. 16



17 / 39





FIG. 17



# FIG. 18






FIG.20




FIG.21

002760" 29409960




FIG.22




FIG. 23

23/39




FIG.24




FIG.25






FIG.26




FIG.27A




FIG.27B

27/39




FIG.28

002160" 29409960

28/39




FIG. 29A




FIG. 29B

002160" 29409950

29/39




FIG.30

30/39




FIG.31

002160" 29409950

31/39




FIG.32

32/39




FIG.33



33 / 39




FIG. 34

34 / 39




FIG. 35




FIG. 36

00260" 091200

35 / 39




FIG. 37




FIG. 38




FIG. 39

002160" 29409960

36 / 39




FIG. 40

37 / 39




FIG. 41



FIG. 42

39 / 39




FIG. 43